	Application No.	Applicant(s)	
Notice of Allowability			
	10/084,910 Examiner	HASHIMOTO ET AL. Art Unit	
	Lammer	Artonic	
	Arezoo Sherkat	2131	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communicatio IGHTS. This application is subject	oplication. If not included n will be mailed in due course. THIS	
1. 🖾 This communication is responsive to <u>8/17/2006</u> .			
2. The allowed claim(s) is/are <u>1-17,19 and 20</u> .	·		
3. ☑ Acknowledgment is made of a claim for foreign priority ur  a) ☑ All b) ☐ Some* c) ☐ None of the:		·	
1. 🖂 Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the requirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftspers		-948) attached	
1)  hereto or 2)  to Paper No./Mail Date		,	
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date		Office action of	
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the draw he header according to 37 CFR 1.121	ings in the front (not the back) of (d).	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
•			
Attachment(s)	5 District of Information	Datast Assiliantias	
1. Notice of References Cited (PTO-892)	5. Notice of Informal		
<ol> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statements (PTO/SB/08),</li> </ol>	Paper No./Mail Da	6. ☐ Interview Summary (PTO-413), Paper No./Mail Date 7. ☐ Examiner's Amendment/Comment	
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance	
of Biological Material	9.	CHRISTOPHER REVAK	
		PRIMARY EXAMINER	
		( M 9/27/06	

Application/Control Number: 10/084,910

Art Unit: 2131

## Response to Amendment

This office action is responsive to Applicant's amendment received on 8/17/2006.

Claim 17 has been amended. Claim 18 is cancelled. Claims 1-17 and 19-20 are pending.

## Allowable Subject Matter

Claims 1-17 and 19-20 are allowed.

The following is an examiner's statement of reasons for allowance:

The closest prior arts of record, namely Blumenau and Sanada, alone and/or in combination do not fairly disclose a manager coupled to a controller of the non-volatile data storing means for setting or changing access control setting information in an access controlling table, wherein the different types of I/O commands include READ and WRITE and the access control setting information includes READ only enable or READ and WRITE only enable information for each of the plurality of network transportation ports connected to different networks.

Blumenau discloses "If the private/shared flag is not set, then execution branches from step 337 to step 339 to access locking information in the cache memory for the logical volume mapped to the LUN specified by the host controller. If the volume is private to the host controller, then access is permitted, and execution branches from step 340 to step 348 to access the volume. If the volume to access is public and is already locked in a fashion incompatible with the access requested by the host (e.g., the volume is already write locked and the host controller requests a read or a write access,

Application/Control Number: 10/084,910

Art Unit: 2131

or the volume is already read locked and the host controller requests a write access) then access not presently permitted. The host controller's S\_ID is placed on a wait list, in order to notify the host controller when the logical volume becomes available; execution branches from step 340 to step 341 to temporarily deny access to the volume, and the routine is finished" (page 15, par. 139). Blumenau does not expressly disclose an access controlling table defining permitted I/O commands for each of the plurality of network transportation ports connected to different networks.

In Sanada, control table embodiments namely, a request control table 140 as shown in figure 8 (page 6, par. 98-100) and the request control table 160 as shown in figure 11 (page 7, par. 120), both fail to disclose an access controlling table expressly defining permitted I/O commands for each of the plurality of network transportation ports connected to different networks as claimed in the instant application.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arezoo Sherkat whose telephone number is (571) 272-3796. The examiner can normally be reached on 8:00-4:30 Monday-Friday.

Application/Control Number: 10/084,910

Art Unit: 2131

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on (571) 272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A.S.

Patent Examiner

**Group 2131** 

September 25, 2006

CHRISTOPHER REVAK PRIMARY EXAMINER

( ll a/27/06